AUTHOR INDEX

Adorian, J., 327
Anderegg, J. W., 133
Ansel, D., 109
Axtell, S. C., 121

Bauer, J., 109
Bevelo, A., 121
Blank, D. H. A., 233
Blatter, A., 223
de Boer, F. R., L11
Bonhomme, F., 109
Bouix, J., 1
Buschow, K. H. J., 255, L11

Canepa, F., 307
Carlson, O. N., 121
Chaze, A. M., 55
Chen, B. H., 37
Chuang, Y. C., 179
Cockayne, B., 315
Coddet, C., 55
Coene, W., 255
Costa, G. A., 77

Desre, P., 327
Devlin, E. J., 315

Fernandez, F., 335
Ferretti, M., 77
Flokstra, J., 233
Franzen, H. F., 37, 133
Fruchart, D., 233

Gaffet, E., 201
Gamari-Seale, E., 295
Gfeller, J., 223
Gonzalez-Calbet, J. M., 271
Gosselin, Ph., 109
Greaves, C., 315
Guerin, R., L1

Hakkens, F., 255
Han, J. I., 187
Harmelin, M., 201
Harris, I. R., 315
Hinode, H., 281

Inoue, K., 25

Jacobs, T. H., 255, L11
Jerez, A., 335
Jorda, J. L., 327
Junqin, L., 47

Kaczorowski, D., L1
Kambli, U., 223
Kato, A., L5
Keski-Rahkonen, O. K., 245
Kim, S.-J., 133
Klement, U., L19
Kotsanidis, P. A., 295

Lang, Ch., 301
Lange, K. G., L19
Laureiro, Y., 335
Lebedeva, L. S., 147
Lee, J.-Y., 187
Lera, F., 233
Lindner, D. L., 139
Lindroos, V. K., 245
Lingmin, Z., 47

MacEwan, W. R., 315
Mader, K., 71
Maeda, H., 25
Mangs, J. M., 245
Matsumoto, H., L15
Mevs, H., 173
de Mooij, D. B., 255
Müller-Buschbaum, Hk., 71, 173, 301

Nagai, H., 15
Nikolayev, V. M., 147
Noel, H., L1

Ogasawara, T., 15
Ojima, K., L15
Orera, V., 233

Palenzona, A., 307
Paljević, M., 289
Pico, C., 335
Pique, C., 233
Ponthenier, J. L., 1
Porte, L., 1
Poxleitner, H., L19

Radchenko, V. M., 147
Rajalakshmi, N., 85
Ramaprabhu, S., 85
Ramirez, J., 271
Range, K.-J., L19
Rillo, C., 233
Ryabinin, M. A., 147

Saez Puche, R., 335
Satoh, K., 281
Seleznev, A. G., 147
Shibata, K., L5
Shoji, K.-I., 15
Shushakov, V. D., 147
Smith, N. A., 315
Song, M.-Y., 155
Soubeyroux, J. L., 233
Szytuła, A., 167

Takeuchi, T., 25
Talvitie, M. J., 245
Taneda, Y., L15
Taniguchi, M., 281
Togano, K., 25
Tomizawa, H., 15
Tran Qui, D., 233
Troć, R., L1
Tsuchida, K., L5

Vallet-Regi, M., 271
Vasiliev, V. Ya., 147
Veiga, M. L., 335
Veistinen, M. K., 245
Verhoef, R., L11
Vincent, C., 1
Vincent, H., 1

Wakihara, M., 281
Walters, R. T., 97
Weiss, A., 85
Wu, C. H., 179

Xie, J. Q., 179

Yakinthos, J. K., 295
Yinghong, Z., 47

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Alloys
  electrical characteristics of amorphous and crystalline Cr–Ti, Nb–Co, Nb–Fe and Nb–Ni alloys, 223
  investigation of solid solubility and metastable phase in dilute Th–Co alloys, 121
Aluminium
  change of oxidation kinetics in the Zr–Al system, 289
  helium dynamics in metal tritides I. The effect of helium from tritium decay on the desorption plateau pressure for La–Ni–Al tritides, 97
  influence of aluminium on the oxidation of titanium between 550 and 750 °C, 55
  isothermal section (500 °C) of the phase diagram of the Al–Ho–Si ternary system, 47
Americium
  Pt_5An (An ≡ Am, CM, Bk, Cf) intermetallic compounds, 147
Arsenic
  crystal structure of U_3NiAs_4, L1
  structural identification of the new magnetic phases $Fe_3Ga_{2-x}As_x$, 315

Ball-Milling
  crystal–amorphous phase transition induced by ball-milling in silicon, 201
Barium
  $Ba_6La_2Fe_4O_{15}$: a metal oxide with a new structure type, 173
  $Ba_9Ir_{9-x}Mn_xO_{27}$ ($x = 5.8$) — a new rhombohedral compound with a 9L stacking polytype, 301
  on melt-processed $RBa_2Cu_3O_{7-x}$ (R ≡ Y, Eu, Ho) superconducting oxides, 77
  synthesis and crystal structure of a new indium oxide of composition $Ba_8In_6O_{17}$, 71
  thermogravimetry and neutron thermodiffractometry studies of the H–$YBa_2Cu_3O_7$ system, 233
Berkelium
  Pt_5An (An ≡ Am, CM, Bk, Cf) intermetallic compounds, 147
Boron
  cerium diboridecarbide: a new rare-earth borocarbide with the trigonal ThB_2C structure, 109
  characteristic dust explosion properteis of Fe–Nd–B powders, 245
  phase diagram of the $(Fe_{0.95}Ga_{0.05})$-rich portion of Nd–$(Fe_{0.95}Ga_{0.05})$–B pseudo-ternary system, 179
  synthesis, characterization and magnetic properties of $LnBO_3$ (Ln ≡ Nd, Gd, Tb, Dy, Ho and Er), 335

Californium
  Pt_5An (An ≡ Am, CM, Bk, Cf) intermetallic compounds, 147
Carbon
  cerium diboridecarbide: a new rare-earth borocarbide with the trigonal ThB_2C structure, 109
  high energy electron diffraction and X-ray diffraction studies on magnetic materials of the type $Y_2Fe_{17}C_x$ ($0 \leqslant x \leqslant 1.6$), 255
  influence of the experimental conditions on the infiltration of porous carbon substrate into deposits of SiC studied by RCVD, 1
  note on the occurrence of magneto-history effects in $R_2Fe_{14-x}Mn_xC$ compounds, L11
Carbon monoxide
  simulation of the degradation behaviour of the hydrogen absorption kinetics of $LaNi_5$ under the cyclic operations in H_2–CO and H_2–O_2, 187
CeB_2C
  cerium diboridecarbide: a new rare-earth borocarbide with the trigonal ThB_2C structure, 109
Cerium
  cerium diboridecarbide: a new rare-earth borocarbide with the trigonal ThB_2C structure, 109

© Elsevier Sequoia/Printed in The Netherlands

contribution to the study of the Ce–O–F ternary system, 327
note on the occurrence of magneto-history effects in $R_2Fe_{14-x}Mn_xC$ compounds, L11
Chromites
non-stoichiometry and twinning in perovskite-related chromites, 271
Chromium
electrical characteristics of amorphous and crystalline Cr–Ti, Nb–Co, Nb–Fe and Nb–Ni alloys, 223
fibrous chromium and molybdenum fabricated by cold working Cu–Cr and Cu–Mo binary alloys, 25
Cobalt
electrical characteristics of amorphous and crystalline Cr–Ti, Nb–Co, Nb–Fe and Nb–Ni alloys, 223
investigation of solid solubility and metastable phase in dilute Th–Co alloys, 121
Cold working
fibrous chromium and molybdenum fabricated by cold working Cu–Cr and Cu–Mo binary alloys, 25
Copper
fibrous chromium and molybdenum fabricated by cold working Cu–Cr and Cu–Mo binary alloys, 25
on melt-processed $RBa_2Cu_3O_{7-x}$ (R ≡ Y, Eu, Ho) superconducting oxides, 77
thermogravimetry and neutron thermo-diffractometry studies of the H–$YBa_2Cu_3O_7$ system, 233
Crystal structure
crystal structure of U_3NiAs_4, L1
Curium
Pt_5An (An ≡ Am, CM, Bk, Cf) intermetallic compounds, 147

Dehydriding
study on the dehydriding kinetics in the Mg_2Ni–Ni(<5wt.%)–H_2 system, 155
Differential scanning calorimetry
differential scanning calorimetry study of the transition in tin, L15
Dust explosions
characteristic dust explosion properties of Fe–Nd–B powders, 245
Dysprosium
synthesis, characterization and magnetic properties of $LnBO_3$ (Ln ≡ Nd, Gd, Tb, Dy, Ho and Er), 335

Electrical properties
electrical characteristics of amorphous and crystalline Cr–Ti, Nb–Co, Nb–Fe and Nb–Ni alloys, 223
Europium
on melt-processed $RBa_2Cu_3O_{7-x}$ (R ≡ Y, Eu, Ho) superconducting oxides, 77

Ferromagnetic alloys
structural identification of the new magnetic phases $Fe_3Ga_{2-x}As_x$, 315
Fibres
fibrous chromium and molybdenum fabricated by cold working Cu–Cr and Cu–Mo binary alloys, 25
Fluorine
contribution to the study of the Ce–O–F ternary system, 327

Gadolinium
magnetic properties of ternary silicides RRhSi, RRh_2Si_2 and $RRhSi_3$ (R ≡ Gd, Tb), 167
synthesis, characterization and magnetic properties of $LnBO_3$ (Ln ≡ Nd, Gd, Tb, Dy, Ho and Er), 335
Gallium
phase diagram of the $(Fe_{0.95}Ga_{0.05})$-rich portion of Nd–$(Fe_{0.95}Ga_{0.05})$–B pseudo-ternary system, 179
structural identification of the new magnetic phases $Fe_3Ga_{2-x}As_x$, 315
Germanides
susceptibility of the rare earth ternary equiatomic germanides RNiGe (R ≡ Gd, Tb, Dy, Ho, Er, Tm and Y), 295
Germanium
susceptibility of the rare earth ternary equiatomic germindes RNiGe (R ≡ Gd, Tb, Dy, Ho, Er, Tm and Y), 295

Helium
helium dynamics in metal tritides I. The effect of helium from tritium decay on the desorption plateau pressure for La–Ni–Al tritides, 97

High energy electron diffraction
high energy electron diffraction and X-ray diffraction studies on magnetic materials of the type $Y_2Fe_{17}C_x$ ($0 \leqslant x \leqslant 1.6$), 255
Holmium
isothermal section (500 °C) of the phase diagram of the Al–Ho–Si ternary system, 47
note on the occurrence of magnetohistory effects in $R_2Fe_{14-x}Mn_xC$ compounds, L11
on melt-processed $RBa_2Cu_3O_{7-x}$ (R ≡ Y, Eu, Ho) superconducting oxides, 77
Hydrides
isothermal decomposition of uranium hydride, 139
Hydriding
hydriding characteristics of Mg–$x$wt.%$LaNi_5$ sintered alloys, 15
Hydrogen
preparation of ultrafine molybdenum powder by vapour phase reaction of the MoO_3–H_2 system, L5
simulation of the degradation behaviour of the hydrogen absorption kinetics of $LaNi_5$ under the cyclic operations in H_2–CO and H_2–O_2, 187
solubility of hydrogen in Ti_3In, 85
study on the dehydriding kinetics in the Mg_2Ni–Ni(<5wt.%)–H_2 system, 155
Hydrogenation
simulation of the degradation behaviour of the hydrogen absorption kinetics of $LaNi_5$ under the cyclic operations in H_2–CO and H_2–O_2, 187

Indium
solubility of hydrogen in Ti_3In, 85
synthesis and crystal structure of a new indium oxide of composition $Ba_8In_6O_{17}$, 71
Iridium
$Ba_9Ir_{9-x}Mn_xO_{27}$ (x = 5.8) — a new rhombohedral compound with a 9L stacking polytype, 301
Iron
$Ba_6La_2Fe_4O_{15}$: a metal oxide with a new structure type, 173
note on the occurrence of magnetohistory effects in $R_2Fe_{14-x}Mn_xC$ compounds, L11
Isothermal decomposition
isothermal decomposition of uranium hydride, 139

Kinetics
simulation of the degradation behaviour of the hydrogen absorption kinetics of $LaNi_5$ under the cyclic operations in H_2–CO and H_2–O_2, 187

Lanthanum
$Ba_6La_2Fe_4O_{15}$: a metal oxide with a new structure type, 173
helium dynamics in metal tritides I. The effect of helium from tritium decay on the desorption plateau pressure for La–Ni–Al tritides, 97
hydriding characteristics of Mg–$x$wt.%$LaNi_5$ sintered alloys, 15
phase diagrams of the La–Ru and Nd–Ru systems, 307
simulation of the degradation behaviour of the hydrogen absorption kinetics of $LaNi_5$ under the cyclic operations in H_2–CO and H_2–O_2, 187
Lutetium
structure of a new intermediate $Lu_{2+x}S_3$ phase, 133

Magnesium
hydriding characteristics of Mg–$x$wt.%$LaNi_5$ sintered alloys, 15
study on the dehydriding kinetics in the Mg_2Ni–Ni(<5wt.%)–H_2 system, 155
Magnetic materials
high energy electron diffraction and X-ray diffraction studies on magnetic materials of the type $Y_2Fe_{17}C_x$ ($0 \leqslant x \leqslant 1.6$), 255
Magnetic properties
magnetic properties of ternary silicides RRhSi, RRh_2Si_2 and $RRhSi_3$ (R ≡ Gd, Tb), 167
synthesis, characterization and magnetic properties of $LnBO_3$ (Ln ≡ Nd, Gd, Tb, Dy, Ho and Er), 335
Magnetohistory
note on the occurrence of magnetohistory effects in $R_2Fe_{14-x}Mn_xC$ compounds, L11

Manganese
$Ba_9Ir_{9-x}Mn_xO_{27}$ (x = 5.8) — a new rhombohedral compound with a 9L stacking polytype, 301
note on the occurrence of magneto-history effects in $R_2Fe_{14-x}Mn_xC$ compounds, L11
Molybdenum
fibrous chromium and molybdenum fabricated by cold working Cu–Cr and Cu–Mo binary alloys, 25
on the superconductivity of the series $M_xSnMo_6S_{7.0}$ (M ≡ Y, Ag, In, Pb, Bi), 281
preparation of ultrafine molybdenum powder by vapour phase reaction of the MoO_3–H_2 system, L5

Neodymium
characteristic dust explosion properties of Fe–Nd–B powders, 245
phase diagram of the $(Fe_{0.95}Ga_{0.05})$-rich portion of Nd–$(Fe_{0.95}Ga_{0.05})$–B pseudo-ternary system, 179
phase diagrams of the La–Ru and Nd–Ru systems, 307
synthesis, characterization and magnetic properties of $LnBO_3$(Ln ≡ Nd, Gd, Tb, Dy, Ho and Er), 335
Neutron thermodiffractometry
thermogravimetry and neutron thermodiffractometry studies of the H–$YBa_2Cu_3O_7$ system, 233
Nickel
crystal structure of U_3NiAs_4, L1
helium dynamics in metal tritides I. The effect of helium from tritium decay on the desorption plateau pressure for La–Ni–Al tritides, 97
hydriding characteristics of Mg–$x$wt.%$LaNi_5$ sintered alloys, 15
simulation of the degradation behaviour of the hydrogen absorption kinetics of $LaNi_5$ under the cyclic operations in H_2–CO and H_2–O_2, 187
study on the dehydriding kinetics in the Mg_2Ni–Ni(<5wt.%)–H_2 system, 155
susceptibility of the rare earth ternary equiatomic germanides RNiGe (R ≡ Gd, Tb, Dy, Ho, Er, Tm and Y), 295
Niobium
electrical characteristics of amorphous and crystalline Cr–Ti, Nb–Co, Nb–Fe and Nb–Ni alloys, 223

Oxidation
influence of aluminium on the oxidation of titanium between 550 and 750 °C, 55
Oxidation kinetics
change of oxidation kinetics in the Zr–Al system, 289

Perovskites
$Ba_9Ir_{9-x}Mn_xO_{27}$ (x = 5.8) — a new rhombohedral compound with a 9L stacking polytype, 301
non-stoichiometry and twinning in perovskite-related chromites, 271
Phase diagrams
isothermal section (500 °C) of the phase diagram of the Al–Ho–Si ternary system, 47
phase diagram of the $(Fe_{0.95}Ga_{0.05})$-rich portion of Nd–$(Fe_{0.95}Ga_{0.05})$–B pseudo-ternary system, 179
phase diagrams of the La–Ru and Nd–Ru systems, 307
Phase transitions
crystal–amorphous phase transition induced by ball-milling in silicon, 201
phase transitions and heterogeneous equilibria in the TaRu homogeneity range, 37
Platinum
Pt_5An (An ≡ Am, CM, Bk, Cf) intermetallic compounds, 147
Porous carbon
influence of the experimental conditions on the infiltration of porous carbon substrate into deposits of SiC studied by RCVD, 1
Powders
characteristic dust explosion properties of Fe–Nd–B powders, 245

Rare earths
susceptibility of the rare earth ternary equiatomic germanides RNiGe (R ≡ Gd, Tb, Dy, Ho, Er, Tm and Y), 295
Rhodium
magnetic properties of ternary silicides RRhSi, RRh_2Si_2 and $RRhSi_3$ (R ≡ Gd, Tb), 167

Ruthenium
phase diagrams of the La–Ru and Nd–Ru systems, 307
phase transitions and heterogeneous equilibria in the TaRu homogeneity range, 37

Selenium
new phase in the Yb–Se system: high-pressure synthesis and refinement of Yb_5Se_7, L19
Silicon
crystal–amorphous phase transition induced by ball-milling in silicon, 201
influence of the experimental conditions on the infiltration of porous carbon substrate into deposits of SiC studied by RCVD, 1
isothermal section (500 °C) of the phase diagram of the Al–Ho–Si ternary system, 47
magnetic properties of ternary silicides RRhSi, RRh_2Si_2 and $RRhSi_3$ (R ≡ Gd, Tb), 167
Silicon carbide
influence of the experimental conditions on the infiltration of porous carbon substrate into deposits of SiC studied by RCVD, 1
Silver
on the superconductivity of the series $M_xSnMo_6S_{7.0}$ (M ≡ Y, Ag, In, Pb, Bi), 281
Sintered alloys
hydriding characteristics of Mg–xWt.%$LaNi_5$ sintered alloys, 15
Solid solubility
investigation of solid solubility and metastable phase in dilute Th–Co alloys, 121
Structural identification
structural identification of the new magnetic phases $Fe_3Ga_{2-x}As_x$, 315
Sulphur
on the superconductivity of the series $M_xSnMo_6S_{7.0}$ (M ≡ Y, Ag, In, Pb, Bi), 281
structure of a new intermediate $Lu_{2+x}S_3$ phase, 133
Superconducting oxides
on melt-processed $RBa_2Cu_3O_{7-x}$ (R ≡ Y, Eu, Ho) superconducting oxides, 77

Superconductivity
on the superconductivity of the series $M_xSnMo_6S_{7.0}$ (M ≡ Y, Ag, In, Pb, Bi), 281

Tantalum
phase transitions and heterogeneous equilibria in the TaRu homogeneity range, 37
Terbium
magnetic properties of ternary silicides RRhSi, RRh_2Si_2 and $RRhSi_3$ (R ≡ Gd, Tb), 167
synthesis, characterization and magnetic properties of $LnBO_3$ (Ln ≡ Nd, Gd, Tb, Dy, Ho and Er), 335
Thermogravimetry
thermogravimetry and neutron thermodiffractometry studies of the H–$YBa_2Cu_3O_7$ system, 233
Thorium
investigation of solid solubility and metastable phase in dilute Th–Co alloys, 121
Tin
differential scanning calorimetry study of the transition in tin, L15
on the superconductivity of the series $M_xSnMo_6S_{7.0}$ (M ≡ Y, Ag, In, Pb, Bi), 281
Titanium
electrical characteristics of amorphous and crystalline Cr–Ti, Nb–Co, Nb–Fe and Nb–Ni alloys, 223
influence of aluminium on the oxidation of titanium between 550 and 750 °C, 55
solubility of hydrogen in Ti_3In, 85
Tritium
helium dynamics in metal tritides I. The effect of helium from tritium decay on the desorption plateau pressure for La–Ni–Al tritides, 97
Twinning
non-stoichiometry and twinning in perovskite-related chromites, 271

Ultrafine powder
preparation of ultrafine molybdenum powder by vapour phase reaction of the MoO_3–H_2 system, L5
Uranium
crystal structure of U_3NiAs_4, L1
isothermal decomposition of uranium hydride, 139

Vapour phase reactions
preparation of ultrafine molybdenum powder by vapour phase reaction of the MoO_3–H_2 system, L5

X-ray diffraction
high energy electron diffraction and X-ray diffraction studies on magnetic materials of the type $Y_2Fe_{17}C_x$ ($0 \leqslant x \leqslant 1.6$), 255
X-ray diffractometry
synthesis and crystal structure of a new indium oxide of composition $Ba_8In_6O_{17}$, 71

Ytterbium
new phase in the Yb–Se system: high-pressure synthesis and refinement of Yb_5Se_7, L19

Yttrium
high energy electron diffraction and X-ray diffraction studies on magnetic materials of the type $Y_2Fe_{17}C_x$ ($0 \leqslant x \leqslant 1.6$), 255
on melt-processed $RBa_2Cu_3O_{7-x}$ ($R \equiv$ Y, Eu, Ho) superconducting oxides, 77
on the superconductivity of the series $M_xSnMo_6S_{7.0}$ ($M \equiv$ Y, Ag, In, Pb, Bi), 281
thermogravimetry and neutron thermodiffractometry studies of the H–$YBa_2Cu_3O_7$ system, 233

Zirconium
change of oxidation kinetics in the Zr–Al system, 289